



GMP
GLOBAL MITRA PROTEKSINDO

FIRE SAFETY EQUIPMENT



MASKER RESPIRATORY DOUBLE SCREEN

PT. GLOBAL MITRA PROTEKSINDO

Fire Protection and Safety Equipment

Dynamic Company's Management System has been Certified to ISO / SNI ISO 9001:2008



ISO / SNI ISO 9001:2008 Certified



GMP
GLOBAL MARKETING PROGRAM

FIRE SAFETY EQUIPMENT

FIREMAN GLOVES NOMEX



100% COTTON LINED PROTECTION
COMPLYING WITH EN16321
COMPLYING WITH EN16322-1:2007 (PROTECTION)





GMP

SAFETY • PROTECTION • EQUIPMENT



FIREMAN HELMET MERK SOS TYPE BULLGARD

Terbuat dari bahan fiber yang tahan dengan benturan dan panas api yang tinggi, tahan terhadap aliran listrik, bagian dalam yang dapat dilas tinggi dan remahnya helm, serta lingkaran bagian dalam helm dapat disesuaikan 52-62 cm dengan doublet baring dan berakanya didalam gelang sesuai standart EN 443 2006, kaca pelindung helm terbuat dari bahan plastik tahan panas yang sesuai dengan standart EN 1665 2004.

PT. GLOBAL MITRA PROTEKSINDO

Fire Protection and Safety Equipment

Dynamic Company's Management System has been Certified to ISO / 9001:2015



082 6086 - 2014 Cendekia



GMP
GLOBAL MITRA PROTEKSINDO

SAFETY SHOES MERK HARVIK TYPE MID SOLSTEEL (MALAYSIA)

Color:black/yellow/size

RangeEuro : 37 - 49

UK : 4 - 14

US : 3 - 13 Type of contruction Vulcanized
Rubber upper and sole last/sole pattern PSV

medium (D) Width/NJV Recommendation

Structural Fire fighting

> General fire rescue

> Bush fire fighting compliance

> NFPA 1971 : 2007 Protective Footware

for structural Fire Fighting CSA Z195-09

ASTM F 2413-11 Grade 1 Toe protection

Penetration resistance 18 KV Electric

Shock Resistance (ESR) protection

Lining material

> Extra comfort with soft fitting lining upper construction

> Flame retardant upper with heat insulation

> Reinforced rubber upper

> Waterproof

> High visibility with black and yellow contrastsole / heel

> Fuel oil resistant sole suitable for inimical environmet

> Slip resistance Vulcanized rubber outsole

> Excellent abrasion resistant for extra durability

> Withstand 18Kv of life current at dry condition

> supported with triple ribbed ladder shank for improved midfoot stability and support steel midsole



PT. GLOBAL MITRA PROTEKSINDO

Fire Protection and Safety Equipment

Dynamic Company's Management System has been Certified to ISO / SNI ISO 9001:2008



ISO / SNI ISO 9001:2008 Certified



GMP
GLOBAL MITRA PROTEKSINDO

Breathing Apparatus



1. Tabung/cylinder berbahan carbon composite yang ringan dan dilengkapi dengan katup T valve.
2. Masker (full face).
3. Gendongan (harness), tali gendongan dapat diatur pada saat dipakai dengan cara menarik atau melonggarkan.
4. Ada alarm pengingat pada saat tekanan udara menurun.
5. Alat pengukur tekanan yang mampu menampilkan angka 0 s/d 300 bar.

PT. GLOBAL MITRA PROTEKSINDO

Fire Protection and Safety Equipment

Dynamic Company's Management System has been Certified to ISO / SNI ISO 9001:2008



ISO / SNI ISO 9001:2008 Certified

ALUMINIZED FIRE PROTECTION SUITE 1000

YURO *Tech*



ID 3333140.04/18/23



SPECIFICATION

- Radiant Heat
Temperature : 1000 tnp
- Hydraulic Pressure : Less Than 3.2 kg
- Heat Radiation
Resistance : Not Over 25 tnp @10kw/M2 for 30s
- Certification : CCS, Ec
- Refraction : 70%
- Flame Retardant Time : $\leq 10s$
- Material : Aluminized Fabric
- Function : Anti-static
- Feature : Glistening, Flame Retardant, Waterproof, Radiation Protection, Anti-Bacterial, Anti-UV
- Age Group : Adults
- Consists Of : 3 Layer
- Gender : All
- Combination : Breathing Apparatus
- Type : ASY-710-3L

PT. GLOBAL MITRA PROTEKSINDO

Fire Protection and Safety Equipment

Dynamic Company's Management System has been Certied to ISO / SNI ISO 9001:2008





GMP

GLOBAL MITRA PROTEKSINDO

FIREMAN SUIT KILLFIRE NOMEX IIIA BY DUPONT (SINGAPORE) ORANGE 6,50Z



Specification

- > MATERIAL :
NOMEX IIIA by Du Pont
- > COMPOSITION :
 - 93% Meta Aramid (NOMEX) Fiber
 - 5% Para Aramid (Kevlar) fiber
 - 2% P140 (Carbon) Fiber
- > LINNING :
Dacron & Furing
- > ARTICLE :
EN-23 (weight 6.5 Oz)
- > REFLECTIVE TAPE :
Retrolux Anti Flame Made in Italy
- > SEWING THREAD
Nomex Thread type 45 s/3

PT. GLOBAL MITRA PROTEKSINDO

Fire Protection and Safety Equipment

Dynamic Company's Management System has been Certified to ISO / SNI ISO 9001:2008



LEMIGAS
EXPLOITATION LABORATORY

ISO / SNI ISO 9001:2008 Certified



GMP
GLOBAL MITRA PROTEKSINDO

Fireman Suit KILLFIRE Merk Nomex IIIA By DUPONT (SINGAPORE) Orange 6,5oz

Lapisan Luar/Outer Sheel : Nomex advance rip stop finish
water repellent.

Komposisi : Nomex + kevlar fiber berat min 6,5Oz yard.

Nomex IIIA : Baju Nomex dan kevlar fiber adalah Nomex 40%
dan kevlar fiber 60%.

Lapisan tengah/Moisture Barrier : Nomex/kevlar non woven
laminated with FR breathable thermoplastic polyurethane
membrane.

Lapisan dalam/Thermal Barrier : Bahan tahan panas dan kuat
serta nyaman (Aramid) dengan berat maksimal 170 gr/Mtr2,
tidak menggunakan paraliner.

Reflective tape : 3M Scotchlite fire coat trim line yellow.

Benang/Thread : Nomex thread.

karet dipergelangan tangan/cuff : Nomex cuff.

Resleting/Zipper : Nomex Zipper.

Velcro : Flame retardant velcro.

Warna : Orange lengkap dengan logo dan identitas dinas
Baju dan celana terdapat Suspender.



PT. GLOBAL MITRA PROTEKSINDO

Fire Protection and Safety Equipment

Dynamic Company's Management System has been Certified to ISO / SNI ISO 9001:2008



ISO / SNI ISO 9001:2008 Certified

